

## LIST OF HTML TAGS

Legend: **O** Optional, **F** Forbidden, **E** Empty, **D** Deprecated, **L** Loose DTD, **F** Frameset DTD

Name	Start Tag	End Tag	Empty	Depr.	DTD	Description
<a href="#"><u>A</u></a>						anchor
<a href="#"><u>ABBR</u></a>						abbreviated form (e.g., WWW, HTTP, etc.)
<a href="#"><u>ACRONYM</u></a>						
<a href="#"><u>ADDRESS</u></a>						information on author
<a href="#"><u>APPLET</u></a>				D	L	Java applet
<a href="#"><u>AREA</u></a>		F	E			client-side image map area
<a href="#"><u>B</u></a>						bold text style
<a href="#"><u>BASE</u></a>		F	E			document base URI
<a href="#"><u>BASEFONT</u></a>		F	E	D	L	base font size
<a href="#"><u>BDO</u></a>						l18N BiDi over-ride
<a href="#"><u>BIG</u></a>						large text style
<a href="#"><u>BLOCKQUOTE</u></a>						long quotation
<a href="#"><u>BODY</u></a>	O	O				document body
<a href="#"><u>BR</u></a>		F	E			forced line break
<a href="#"><u>BUTTON</u></a>						push button
<a href="#"><u>CAPTION</u></a>						table caption
<a href="#"><u>CENTER</u></a>				D	L	shorthand for DIV align=center
<a href="#"><u>CITE</u></a>						citation
<a href="#"><u>CODE</u></a>						computer code fragment
<a href="#"><u>COL</u></a>		F	E			table column
<a href="#"><u>COLGROUP</u></a>		O				table column group
<a href="#"><u>DD</u></a>		O				definition description
<a href="#"><u>DEL</u></a>						deleted text
<a href="#"><u>DFN</u></a>						instance definition
<a href="#"><u>DIR</u></a>				D	L	directory list
<a href="#"><u>DIV</u></a>						generic language/style container
<a href="#"><u>DL</u></a>						definition list
<a href="#"><u>DT</u></a>		O				definition term
<a href="#"><u>EM</u></a>						emphasis
<a href="#"><u>FIELDSET</u></a>						form control group
<a href="#"><u>FONT</u></a>				D	L	local change to font
<a href="#"><u>FORM</u></a>						interactive form
<a href="#"><u>FRAME</u></a>		F	E		F	subwindow
<a href="#"><u>FRAMESET</u></a>					F	window subdivision
<a href="#"><u>H1</u></a>						heading
<a href="#"><u>H2</u></a>						heading

<a href="#">H3</a>						heading
<a href="#">H4</a>						heading
<a href="#">H5</a>						heading
<a href="#">H6</a>						heading
<a href="#">HEAD</a>	O	O				document head
<a href="#">HR</a>		F	E			horizontal rule
<a href="#">HTML</a>	O	O				document root element
<a href="#">I</a>						italic text style
<a href="#">IFRAME</a>					L	inline subwindow
<a href="#">IMG</a>		F	E			Embedded image
<a href="#">INPUT</a>		F	E			form control
<a href="#">INS</a>						inserted text
<a href="#">ISINDEX</a>		F	E	D	L	single line prompt
<a href="#">KBD</a>						text to be entered by the user
<a href="#">LABEL</a>						form field label text
<a href="#">LEGEND</a>						fieldset legend
<a href="#">LI</a>		O				list item
<a href="#">LINK</a>		F	E			a media-independent link
<a href="#">MAP</a>						client-side image map
<a href="#">MENU</a>				D	L	menu list
<a href="#">META</a>		F	E			generic metainformation
<a href="#">NOFRAMES</a>					F	alternate content container for non frame-based rendering
<a href="#">NOSCRIPT</a>						alternate content container for non script-based rendering
<a href="#">OBJECT</a>						generic embedded object
<a href="#">OL</a>						ordered list
<a href="#">OPTGROUP</a>						option group
<a href="#">OPTION</a>		O				selectable choice
<a href="#">P</a>		O				paragraph
<a href="#">PARAM</a>		F	E			named property value
<a href="#">PRE</a>						preformatted text
<a href="#">Q</a>						short inline quotation
<a href="#">S</a>				D	L	strike-through text style
<a href="#">SAMP</a>						sample program output, scripts, etc.
<a href="#">SCRIPT</a>						script statements
<a href="#">SELECT</a>						option selector
<a href="#">SMALL</a>						small text style
<a href="#">SPAN</a>						generic language/style container
<a href="#">STRIKE</a>				D	L	strike-through text
<a href="#">STRONG</a>						strong emphasis
<a href="#">STYLE</a>						style info
<a href="#">SUB</a>						subscript

<u>SUP</u>						superscript
<u>TABLE</u>						
<u>TBODY</u>	○	○				table body
<u>TD</u>		○				table data cell
<u>TEXTAREA</u>						multi-line text field
<u>TFOOT</u>		○				table footer
<u>TH</u>		○				table header cell
<u>THEAD</u>		○				table header
<u>TITLE</u>						document title
<u>TR</u>		○				table row
<u>TT</u>						teletype or monospaced text style
<u>U</u>				D	L	underlined text style
<u>UL</u>						unordered list
<u>VAR</u>						instance of a variable or program argument

<http://jkdirectory.blogspot.com>